

Review Article

Rising with resilience – strengthening the inner world of Indian pre-adolescents

Meera Saravanan*, Anandy Mahalingan, Bavishakithya Ilankannan

Department of Mental Health Nursing, PSG College of Nursing, Coimbatore, Tamil Nadu, India

Received: 19 July 2026

Revised: 20 August 2026

Accepted: 19 September 2026

*Correspondence:

Meera Saravanan,

E-mail: meerassaravanan@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Pre-adolescence 9-12 years is a critical developmental period characterized by rapid biological, emotional, cognitive, and social changes that influence future mental health and well-being. Indian pre-adolescents increasingly encounter academic pressure, changing family dynamics, peer challenges, and extensive digital exposure, creating potential risks to emotional adjustment. Resilience, defined as the ability to adapt positively to adversity and recover from challenging experiences, is an important protective factor during this formative stage. This article aims to examine the determinants and dimensions of resilience among Indian pre-adolescents and to propose a culturally relevant, integrated framework for promoting resilience across biological, psychological, social, and digital domains. This article highlights key factors that strengthen resilience, including emotional regulation, self-esteem, self-compassion, problem-solving skills, supportive parenting, positive school environments, healthy peer relationships, and community connectedness. Digital resilience is also emphasized, encompassing safe technology use, digital literacy, responsible online behavior, and adaptive coping with cyberbullying, online risks, and excessive screen exposure. Based on existing evidence and contextual insights, the integrated pre-adolescent resilience model (IPARM) is proposed, integrating biological, psychological, social, and digital dimensions. Resilience promotion strategies are discussed at individual, family, school, community, and healthcare levels, with nurses and other health professionals playing an important role in early identification of vulnerable children, mental health promotion, and implementation of resilience-building interventions. Strengthening resilience during pre-adolescence represents a valuable preventive mental health strategy. A holistic and culturally responsive approach can foster emotional competence, psychological well-being, adaptability, and healthy development, enabling Indian children to navigate contemporary challenges and develop into confident and resilient individuals.

Keywords: Pre-adolescence, Resilience, Mental health, Emotional regulation, Digital resilience, Integrated resilience model

INTRODUCTION

“In times of grief, who stands beside? One’s own brave heart becomes the guide.” – Thirukkural.

India is home to one of the world’s largest child populations, and the emotional well-being of its younger generation has become a growing concern in contemporary society. While considerable attention has been directed toward adolescent mental health, the

developmental needs of pre-adolescents often remain overlooked. Pre-adolescence represents a bridge between childhood innocence and adolescent self-awareness, a stage where children begin to encounter emotional complexity, academic pressure, social comparison, and identity-related questions.

In Indian society, children today are growing up in an environment shaped by competitive education systems, technological advancement, urbanization, and changing

family structures. The pressure to excel academically, adapt socially, and navigate digital environments can create significant emotional strain. Yet, amidst these challenges, some children demonstrate remarkable adaptability and emotional strength. This ability to recover, grow, and thrive despite adversity is known as resilience.²

Resilience is no longer viewed as an inborn trait possessed by only a few individuals. Modern psychological and developmental theories describe resilience as a dynamic process influenced by biological, psychological, and environmental interactions.²⁰ It is shaped by supportive relationships, emotional skills, self-belief, and opportunities for growth.

The ancient wisdom of Indian literature has long emphasized inner strength and emotional balance. The Thirukkural beautifully reflects this truth by reminding us that the human mind itself becomes the greatest source of support during difficult times. In many ways, resilience represents this inner courage that allows children to rise above adversity with hope and confidence.

Objective

This article aims to explore resilience among Indian pre-adolescents through a culturally grounded and multidimensional perspective. By integrating biological, psychological, social, and digital influences, the article proposes a holistic understanding of resilience and highlights strategies for nurturing emotionally strong children capable of facing the demands of modern life.

BACKGROUND

Pre-adolescence is a developmental period in which children begin to experience many of the biological, emotional, cognitive, and social changes that become more pronounced during adolescence. Although the precise age boundaries vary across developmental frameworks, the period of approximately 9-12 years is clinically and educationally important because children are increasingly expected to manage academic demands, friendships, social comparison, changing expectations, and growing independence while still depending strongly on adults for emotional security. Mental health promotion during this period can therefore have preventive value. Global evidence indicates that mental health is shaped by a combination of individual characteristics, family relationships, school environments, socioeconomic conditions, and broader social determinants, rather than by a single psychological or biological factor.¹⁻⁴

Resilience is particularly relevant to this developmental stage. Contemporary developmental science does not define resilience simply as a personality trait or as the absence of distress. Instead, resilience is understood as a dynamic process or capacity through which individuals maintain or regain adaptive functioning when exposed to

adversity, stress, or significant change.⁵⁻⁹ Masten described resilience as “ordinary magic,” emphasizing that positive adaptation commonly emerges from ordinary human developmental systems such as supportive relationships, effective parenting, learning opportunities, and competent schools.⁵ Similarly, ecological perspectives emphasize that resilience is produced through interactions between individuals and the environments in which they live.^{6,9,25-28} This understanding is especially useful for children because responsibility for healthy adaptation cannot be placed solely on the child.

The Indian context adds important cultural and social considerations. Children grow within diverse family structures, languages, communities, educational systems, and socioeconomic circumstances. Academic expectations may be substantial, while urbanization, migration, changing family arrangements, and increasing digital connectivity can alter patterns of social support. At the same time, family cohesion, intergenerational relationships, community participation, spirituality, and culturally meaningful values may provide important sources of belonging and coping. These protective resources should not be romanticized, because family conflict, socioeconomic disadvantage, violence, stigma, and unequal access to mental health services can also increase vulnerability.^{29,30} A culturally responsive resilience framework must therefore recognize both protective and risk processes.

The increasing use of digital technologies has added another layer to children's developmental environments. Digital platforms can provide educational resources, communication, creativity, and social connection, but they can also expose children to cyberbullying, harmful content, social comparison, privacy risks, misinformation, and problematic patterns of use.¹⁰⁻¹³ Digital resilience should therefore be viewed as part of overall resilience rather than as a separate technological skill. Children need developmentally appropriate guidance that helps them recognize online risks, regulate their use of technology, seek help, evaluate information, and recover from negative online experiences.

The purpose of this review is to synthesize the major determinants and dimensions of resilience relevant to Indian pre-adolescents and to propose the integrated pre-adolescent resilience model (IPARM). The model brings together biological, psychological, social, cultural, and digital influences and translates these domains into implications for families, schools, nurses, mental health professionals, communities, and policymakers.

UNDERSTANDING PRE-ADOLESCENT RESILIENCE

Resilience is best understood as positive adaptation in the presence of adversity or significant stress. It does not imply that a resilient child never experiences sadness, fear, anxiety, disappointment, or failure. Rather, resilience

involves the capacity to use internal and external resources to regulate emotions, solve problems, maintain relationships, seek support, and return to developmentally appropriate functioning after difficulties.^{5,7,8} Resilience can therefore coexist with temporary emotional distress. This distinction is important in child mental health because attempts to make children “strong” should not discourage them from expressing vulnerability or seeking professional support.

Resilience also changes across development and circumstances. A child may cope effectively with academic stress but struggle after family disruption, bullying, bereavement, or prolonged social isolation. Protective processes that are effective in one setting may be less effective in another. Developmental resilience is consequently better represented as a dynamic interaction among the child and multiple systems than as a fixed score. The IPARM presented in Figure 1 reflects this interactional approach by positioning resilience at the center of biological, psychological, social, cultural, and digital influences. The conceptual framework is informed by the biopsychosocial perspective and contemporary ecological approaches to resilience.^{6,9,14}

BIOLOGICAL INFLUENCES ON RESILIENCE

Biological development provides an important foundation for resilience. During late childhood and the transition to adolescence, neural systems involved in emotion, reward, executive functioning, attention, and social processing undergo continuing maturation. Stress-response systems also interact with environmental experiences. Chronic or severe adversity may affect physiological regulation and developmental functioning whereas supportive relationships and predictable environments can buffer stress responses.¹⁵⁻¹⁷ Biological influences should therefore be interpreted within the context of experience rather than as deterministic causes of resilience or vulnerability.

Sleep, nutrition, physical activity, and general physical health are also relevant because they influence attention, mood, energy, and the ability to cope with stress. For nursing practice, this means that resilience promotion should not be limited to counselling or psychological education. Routine assessment can include sleep patterns, physical activity, nutrition, chronic health concerns, and signs of sustained stress. Early recognition of problems allows professionals to address modifiable contributors before they interfere substantially with emotional and academic functioning.

PSYCHOLOGICAL DETERMINANTS OF RESILIENCE

Psychological resources are central to adaptive coping. Emotional regulation enables children to identify feelings, tolerate distress, and use strategies that reduce impulsive or harmful responses. Coping research suggests that

children benefit when they can flexibly select strategies according to the demands of a situation rather than relying on one response across all circumstances.¹⁸ Problem-solving skills similarly allow children to define difficulties, generate alternatives, evaluate consequences, and seek assistance when a problem exceeds their capacity.

Self-esteem, self-efficacy, optimism, and a realistic sense of competence can support persistence after setbacks. However, resilience should not be equated with constant positive thinking. Unrealistic optimism may be unhelpful if it prevents recognition of genuine risks. A healthier approach is to develop realistic hope: children learn that difficulties can be managed, that mistakes are part of learning, and that support is available when independent coping is insufficient. Self-compassion may also help children respond to failure without excessive self-criticism. Research on self-compassion has linked a supportive attitude toward oneself with adaptive emotional functioning and resilience-related processes.^{19,20}

SOCIAL AND ENVIRONMENTAL DETERMINANTS OF RESILIENCE

For pre-adolescents, relationships are not merely background influences; they are major developmental resources. Secure and responsive relationships with caregivers can provide emotional safety from which children explore their environments and develop confidence. Positive parenting practices include warmth, consistent boundaries, age-appropriate autonomy, open communication, and active listening. In contrast, chronic criticism, neglect, family violence, or unpredictable caregiving may increase emotional vulnerability. Evidence on positive childhood experiences further suggests that supportive relationships and connectedness can promote healthy development even in the presence of adversity.²¹

Schools represent another major setting for resilience promotion because children spend a substantial portion of their lives in educational environments. A positive school climate is characterized by supportive teacher-student relationships, belonging, fairness, opportunities for participation, and clear expectations. Social and emotional learning programs can improve emotional skills, behavior, relationships, and academic outcomes when implemented systematically.^{22,23} Anti-bullying measures are equally important because repeated peer victimization is associated with adverse psychological outcomes. School-based mental health programs should therefore combine universal promotion with early identification and targeted support.

Peer relationships become increasingly influential during pre-adolescence. Healthy friendships provide companionship, social learning, validation, and opportunities to practice communication and conflict resolution. Conversely, rejection, bullying, social isolation, and cyberbullying can undermine self-worth and increase distress.^{24,25} Children should be taught not only

individual coping skills but also how to seek help, support peers, respond safely to bullying, and identify trusted adults.

Community connectedness extends the protective environment beyond the family and school. Sports, arts, youth groups, libraries, community organizations, religious or spiritual settings where appropriate, and culturally meaningful activities can create belonging and opportunities for competence. Indian communities are diverse, and resilience promotion should avoid assuming that one cultural practice applies to every child. Instead, culturally responsive practice should invite families to identify values, traditions, relationships, and community resources that are meaningful to them.

Socioeconomic conditions must also be considered. Poverty, housing instability, limited educational resources, exposure to violence, and restricted access to healthcare can place sustained demands on children and families. It would be inappropriate to frame resilience as an individual responsibility when structural conditions create persistent adversity. Public health and nursing interventions should therefore combine individual skill-building with efforts to improve access to education, healthcare, social protection, and safe community environments.

DIGITAL RESILIENCE: A MODERN NECESSITY

Digital exposure is now embedded in many children's daily lives. Online learning and communication can expand access to information and social support, but excessive or unstructured use may be associated with sleep disruption, social comparison, cyberbullying, exposure to harmful content, and other risks.¹⁰⁻¹³ Evidence regarding digital media and mental health is complex, and effects vary according to the type of activity, the child's characteristics, and the social context in which technology is used.^{11,12} Therefore, digital resilience should not be reduced to screen-time restriction.

A resilience-oriented digital approach teaches children to recognize unsafe situations, protect personal information, evaluate online information, manage emotional reactions to online interactions, and seek adult help when needed. Parents and teachers can use developmentally appropriate guidance and shared expectations rather than relying only on surveillance. The goal is progressive digital competence and guided autonomy. When children experience cyberbullying or harmful content, supportive responses should emphasize safety, documentation where appropriate, reporting mechanisms, emotional support, and professional assistance when distress is significant.

THE INTEGRATED PRE-ADOLESCENT RESILIENCE MODEL

The IPARM synthesizes the reviewed evidence into a multidimensional framework in which resilience is the outcome of continuing interactions among biological,

psychological, social, cultural, and digital systems. The biological domain represents developmental maturation, physical health, sleep, and stress-response processes. The psychological domain includes emotional regulation, self-efficacy, self-compassion, optimism, cognitive flexibility, and problem-solving. The social domain includes family relationships, peers, teachers, school climate, and community connectedness. The cultural domain recognizes values, language, family traditions, spirituality where meaningful to the child, and locally relevant sources of identity and belonging. The digital domain includes digital literacy, online safety, responsible technology use, critical evaluation of content, and adaptive responses to negative online experiences.

Figure 1 illustrates how these domains converge on resilience rather than operating independently. The model is intentionally dynamic. A supportive school may strengthen self-efficacy, which may improve coping and peer relationships; conversely, persistent bullying may affect emotional regulation and school engagement. Family support may buffer the impact of academic pressure, while socioeconomic adversity may restrict access to protective resources. Digital experiences can influence peer relationships and emotional well-being, while digital tools can also provide learning and support. Thus, interventions should address interactions among domains rather than targeting a single factor.

The model has practical value because it allows professionals to map strengths and vulnerabilities across several levels. For example, a child with good problem-solving skills but limited family support may benefit from school mentoring and community-based relationships. A child experiencing cyberbullying may require digital safety education, peer support, parental guidance, and mental health screening. A child affected by chronic socioeconomic adversity may need social and educational support in addition to individual coping interventions. The framework therefore supports individualized and context-sensitive care rather than a one-size-fits-all resilience program.

Table 1: Components of integrated pre-adolescent resilience model (IPARM).

Dimension	Components	Resilience
Biological	Brain development, stress response, neurobiology	Emotional regulation and adaptive coping
Psychological	Self-esteem, optimism, emotional intelligence	Positive thinking and coping ability
Social	Family, peers, school, community	Emotional support and social belonging
Digital	Online behavior, cyber safety, media literacy	Healthy digital adaptation




Figure 1: Integrated bio-psycho-social conceptual framework (IPARM).

The framework integrates biological, psychological, social, cultural, socioeconomic, and policy influences on resilience in pre-adolescents and emphasizes their dynamic interaction. The conceptual synthesis is informed by Engel, Masten, Ungar, and contemporary resilience and digital-environment literature.^{5,6,9,11,14}

Table 2: Psychological strengths correlate with resilience.

Psychological strength	Positive outcome
Emotional regulation	Reduced anxiety and aggression
Self-compassion	Improved emotional recovery
Optimism	Better stress management
Problem-solving skills	Increased adaptability
Self-esteem	Higher confidence and resilience

Table 3: Benefits versus risks of digital exposure.

Benefits	Risks
Access to learning resources	Cyberbullying
Educational opportunities	Screen addiction
Social connectivity	Anxiety and comparison
Creativity enhancement	Exposure to harmful content

DISCUSSION

Strategies for strengthening resilience

Resilience promotion should begin before significant mental health difficulties become established. At the individual level, age-appropriate programs can teach emotional vocabulary, emotion regulation, problem-solving, communication, self-compassion, and help-seeking. Activities should be experiential rather than purely didactic. Storytelling, role-play, group discussion, reflective exercises, cooperative games, and problem-solving scenarios can help children transfer skills into everyday situations.

Family-based approaches should strengthen positive communication and supportive parenting. Parents can be encouraged to listen without immediately judging, acknowledge children's emotions, set predictable boundaries, provide opportunities for age-appropriate decision-making, and model healthy coping. Parent education should also address digital habits, sleep, school stress, and recognition of warning signs such as persistent withdrawal, irritability, changes in sleep or appetite, declining school participation, or statements suggesting hopelessness.

Schools can integrate resilience into existing health and social-emotional learning structures rather than treating it as an isolated activity. Teacher training, peer-support initiatives, anti-bullying policies, safe reporting mechanisms, and access to school counselling can create a more protective environment. Universal programs should be complemented by targeted assessment and referral for children with persistent distress, functional impairment, exposure to violence, or other significant risk factors. School interventions are most effective when they are sustained, developmentally appropriate, and supported by teachers and families.^{22,23}

Nurses and other health professionals have an important role across these settings. School and community health nurses can assess emotional and social well-being, identify children who may be vulnerable, provide basic psychoeducation, facilitate supportive conversations, coordinate referrals, and work with parents and teachers. Screening should not be viewed as a substitute for clinical assessment; children identified as at risk require appropriate follow-up and access to qualified mental health professionals. Nurses can also promote sleep hygiene, physical activity, healthy routines, safe technology use, and protective family practices.

At the community level, resilience promotion should strengthen opportunities for belonging and participation. Accessible recreation, arts, sports, youth programs, libraries, and community mental health services can provide supportive relationships and opportunities for mastery. In areas with limited specialist services, stepped-care approaches, tele-support where appropriate, and training of frontline health and education personnel may improve access. Policy should prioritize child mental health within primary healthcare and school systems, reduce barriers to care, and address social conditions that increase exposure to chronic stress.^{2-4,26}

Implications for Indian nursing and health policies

For Indian nursing practice, the IPARM supports a shift from a problem-focused approach toward a preventive, strengths-based model. Assessment can consider the child's emotional functioning, coping style, family relationships, school experience, peer relationships, digital environment, physical health, and access to supportive resources. This broader assessment is consistent with the understanding that resilience is distributed across systems and cannot be adequately evaluated through an isolated individual characteristic.

Cultural responsiveness is essential. Nurses should communicate in language that children and families understand, respect family values, and distinguish supportive cultural practices from experiences that may place children at risk. Mental health literacy should be strengthened so that emotional difficulties are not dismissed as laziness, disobedience, or simply a phase of growing up. Confidentiality and child safeguarding

principles should guide professional interactions, especially when bullying, abuse, violence, or severe psychological distress is suspected.

The framework also has implications for policy. School mental health initiatives should include prevention, early identification, referral pathways, teacher capacity-building, parent engagement, and safe digital practices. Primary healthcare services can incorporate brief psychosocial assessment and provide links to community resources. Policies should recognize that resilience cannot compensate indefinitely for unsafe environments or inadequate services. Strengthening the systems surrounding children is therefore a central part of resilience promotion.

CONCLUSION

Resilience in Indian pre-adolescents is best understood as a dynamic developmental process arising from the interaction of biological capacities, psychological resources, supportive relationships, cultural and community contexts, and increasingly important digital environments. The evidence reviewed in this article indicates that emotional regulation, self-compassion, self-efficacy, problem-solving, family support, positive school climate, healthy peer relationships, community connectedness, and safe digital participation can contribute to positive adaptation, while chronic adversity, bullying, family conflict, socioeconomic disadvantage, and harmful digital experiences can increase vulnerability. The IPARM advances knowledge by bringing these domains together within a culturally responsive framework specifically oriented to the pre-adolescent period in India and by translating the model into practical implications for nursing, schools, families, communities, and policy. Rather than asking children to withstand adversity alone, the framework emphasizes strengthening the developmental systems around them. This systems-based understanding can guide preventive mental health promotion, early identification of vulnerability, and future research evaluating culturally adapted resilience interventions for Indian children. Children do not need a perfect world to become strong; they need caring hearts, listening minds, and safe spaces where their struggles are understood.

Funding: No funding sources

Conflict of interest: None declared

Ethical approval: Not required

REFERENCES

1. World Health Organization. Guidelines on mental health promotive and preventive interventions for adolescents: helping adolescents thrive. 2020. Available at: <https://www.who.int/publications/i/item/guidelines-on-mental-health-promotive-and-preventive-interventions-for-adolescents>. Accessed on 15 July 2026.

2. Patel V, Saxena S, Lund C, Thornicroft G, Baingana F, Bolton P, et al. The Lancet Commission on global mental health and sustainable development. *Lancet*. 2018;392:1553-98.
3. Kieling C, Baker-Henningham H, Belfer M, Conti G, Ertem I, Omigbodun O, et al. Child and adolescent mental health worldwide: evidence for action. *Lancet*. 2011;378:1515-25.
4. UNICEF. The State of the World's Children 2021: On My Mind-Promoting, protecting and caring for children's mental health. 2021. Available at: <https://www.unicef.org/reports/state-worlds-children-2021>. Accessed on 15 July 2026.
5. Masten AS. *Ordinary Magic: Resilience in Development*. New York: Guilford Press; 2014.
6. Ungar M. The social ecology of resilience: addressing contextual and cultural ambiguity of a nascent construct. *Am J Orthopsych*. 2011;81:1-17.
7. Rutter M. Resilience as a dynamic concept. *Dev Psychopathol*. 2012;24:335-44.
8. Luthar SS, Cicchetti D, Becker B. The construct of resilience: a critical evaluation and guidelines for future work. *Child Dev*. 2000;71:543-62.
9. Southwick SM, Bonanno GA, Masten AS, Panter-Brick C, Yehuda R. Resilience definitions, theory, and challenges: interdisciplinary perspectives. *Eur J Psychotraumatol*. 2014;5:25338.
10. Livingstone S, Helsper EJ. Parental mediation of children's Internet use. *J Broadcast Electron Media*. 2008;52:581-99.
11. Odgers CL, Jensen MR. Annual Research Review: Adolescent mental health in the digital age: facts, fears, and future directions. *J Child Psychol Psychiatry*. 2020;61:336-48.
12. Keles B, McCrae N, Grealish A. A systematic review: the influence of social media on depression, anxiety and psychological distress in adolescents. *Int J Adolesc Youth*. 2020;25:79-93.
13. Kowalski RM, Giumetti GW, Schroeder AN, Lattanner MR. Bullying in the digital age: a critical review and meta-analysis of cyberbullying research among youth. *Psychol Bull*. 2014;140:1073-137.
14. Engel GL. The need for a new medical model: a challenge for biomedicine. *Science*. 1977;196:129-36.
15. Shonkoff JP, Garner AS; Committee on Psychosocial Aspects of Child and Family Health; Committee on Early Childhood, Adoption, and Dependent Care; Section on Developmental and Behavioral Pediatrics. The lifelong effects of early childhood adversity and toxic stress. *Pediatrics*. 2012;129:e232-46.
16. Masten AS, Narayan AJ. Child development in the context of disaster, war, and terrorism: pathways of risk and resilience. *Annu Rev Psychol*. 2012;63:227-57.
17. McEwen BS. Protective and damaging effects of stress mediators. *N Engl J Med*. 1998;338:171-9.
18. Compas BE, Jaser SS, Bettis AH, Watson KH, Gruhn MA, Dunbar JP, et al. Coping, emotion regulation, and psychopathology in childhood and adolescence: a meta-analysis and narrative review. *Psychol Bull*. 2017;143:939-91.
19. Neff KD. Self-compassion: an alternative conceptualization of a healthy attitude toward oneself. *Self Identity*. 2003;2:85-101.
20. Neff KD, McGehee P. Self-compassion and psychological resilience among adolescents and young adults. *Self Identity*. 2010;9:225-40.
21. Bethell C, Jones J, Gombojav N, Linkenbach J, Sege R. Positive childhood experiences and adult mental and relational health in a statewide sample: associations across adverse childhood experiences levels. *JAMA Pediatr*. 2019;173:e193007.
22. Durlak JA, Weissberg RP, Dymnicki AB, Taylor RD, Schellinger KB. The impact of enhancing students' social and emotional learning: a meta-analysis of school-based universal interventions. *Child Dev*. 2011;82:405-32.
23. Taylor RD, Oberle E, Durlak JA, Weissberg RP. Promoting positive youth development through school-based social and emotional learning interventions: a meta-analysis of follow-up effects. *Child Dev*. 2017;88:1156-71.
24. Olweus D. School bullying: development and some important challenges. *Annu Rev Clin Psychol*. 2013;9:751-80.
25. Bonanno GA. Loss, trauma, and human resilience: have we underestimated the human capacity to thrive after extremely aversive events? *Am Psychol*. 2004;59:20-8.
26. Fergus S, Zimmerman MA. Adolescent resilience: a framework for understanding healthy development in the face of risk. *Annu Rev Public Health*. 2005;26:399-419.
27. Zimmerman MA. Resiliency theory: a strengths-based approach to research and practice for adolescent health. *Health Educ Behav*. 2013;40:381-3.
28. Panter-Brick C, Leckman JF. Editorial commentary: resilience in child development-interconnected pathways to wellbeing. *J Child Psychol Psychiatry*. 2013;54:333-6.
29. Sagar R, Dandona R, Gururaj G, Dhaliwal RS, Singh A, Ferrari A, et al. The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990-2017. *Lancet Psychiatry*. 2020;7:148-61.
30. Murthy RS. National Mental Health Survey of India 2015-2016. *Indian J Psychiatry*. 2017;59(1):21-6.

Cite this article as: Saravanan M, Mahalingan A, Ilankannan B. Rising with resilience – strengthening the inner world of Indian pre-adolescents. *Int J Contemp Pediatr* 2026;13:2372-8.